Pipemakers
Australia

pipemakers.com.au



PRODUCT CATALOGUE
CONDUIT

2025

Pipemakers Australia



Exceptional product quality, customer service focused & environmentally responsible

An Australia-wide company with experience-based knowledge and a reliable national distribution network to deliver on your needs.

Right from the inception of Pipemakers Australia Pty Ltd our commitment to the manufacture of the highest quality products has seen Australian Standards not only met but surpassed.

Researching and developing new, stronger and more diverse ranges of PVC pipe, PE pipe and ancillary products keeps Pipemakers at the forefront of our industry.

By exploring new ways to act on our environmental responsibility within our manufacturing activities, we aim to reduce our impact on the environment.

Our focus on building strong relationships and maintaining excellent communication with our customers ensures a consistent high level of support to meet your needs.

Quality Assurance & Sustainability



Pipemakers is a quality-endorsed company, a signatory of the Vinyl Council of Australia, and a member of the Plastic Industry Pipe Association (PIPA), demonstrating our commitment to industry best practices and environmental sustainability.

Our current certifications includes:

- Quality Management Systems - ISO 9001
- Environmental Management System - ISO 14001
- Occupational Health & Safety Management System - ISO 45001
- Best Environmental Practice (BEP)
- WaterMark Product licences
- ISO Type 5 Product licences
- All products are Australian Made

WaterMark™

AUSTRALIAN MADE®

ApprovalMark International

ISO TYPE 5 CERTIFIED ApprovalMark International

ISO 14001 CERTIFIED ApprovalMark International

ISO 45001 CERTIFIED ApprovalMark International

BEP Approved

Contents



05_ PVC Material Data Sheet

06_ Electrical & Communication Conduit

16_ Electrical Sweep Bends

21_ Electrical Fittings

27_ PVC Primer & Solvent Cement

Material Data Sheet

Poly (Vinyl Chloride) (PVC) pipe

Not classified as hazardous according to the criteria of Work Safe Australia.
Use: Water supply, irrigation, sewerage, drainage, industrial process piping, telecommunications and electrical conduit
Physical Description / Properties:
Opaque rigid solid tubes, diameters from 15 to 575mm, lengths up to 6m, various colours (eg. white, grey, blue, orange), with or without jointing sockets. Various fittings to match, (eg. tees, bends, reducers, couplings etc.).


Ingredients: Chemical Name: CAS Number: Proportion: Poly (Vinyl Chloride) Polymer 9002-86-2 70 – 90% Fillers (eg. Calcium Carbonate) 471-34-1 3 – 16% Lubricants (eg. Polyethylene Wax) Not Applicable 0.8 – 1.6% Modifiers (eg. Chlorinated Polyethylene, Acrylics) Stabilisers (eg. Stearates & Sulphates of Calcium Not applicable 0 – 5% 1.6 – 4% Zinc) Pigments (eg. Titanium Dioxide) 13463-67- 1.2 – 4%



Electrical & Communication Conduit



Product List



Conduit - Medium Duty


Pipemakers medium duty (MD) electrical pipe is manufactured in accordance with AS/NZS 2053.2 :2001.

Conduit Medium Duty

Product Code	Nominal Size (mm)	Mean L1 O.D. (mm)	Mean L2 I.D. (mm)	Mean L3 Wall (mm)	Socket L5 Length (mm)	Weight (kg)	Length L4 (m)	Pack Quantity
16MDCON	16	15.9	12.4	1.8	13	0.5	4	1800
20MDCON	20	19.9	16.0	2.0	16	0.7	4	1050
25MDCON	25	24.9	21.0	2.0	20	0.9	4	770
32MDCON	32	31.9	27.4	2.3	25	1.3	4	480
40MDCON	40	39.9	34.8	2.6	32	1.9	4	450
50MDCON	50	49.9	44.0	3.0	40	2.8	4	240

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List



Conduit - Solar Heavy Duty


Pipemakers heavy duty (HD) electrical solar conduit is manufactured in accordance with AS/NZS 2053.2 :2001.

Conduit Solar Heavy Duty


Product Code	Nominal Size (mm)	Mean L1 O.D. (mm)	Mean I.D. (mm)	L2 Mean Wall (mm)	L3 Socket Length (mm)	L5 Weight (kg)	Length L4 (m)	Pack Quantity
25HDCONSOL	25	24.9	19.6	2.65	20	1.2	4	770
32HDCONSOL	32	31.9	26.2	2.85	25	1.7	4	480
40HDCONSOL	40	39.9	33.4	3.3	32	2.4	4	450
50HDCONSOL	50	49.9	42.6	3.65	40	3.4	4	240
100HDCONSOL	100	114.3	101.7	6.3	99	13.9	4	63

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List



SECTION VIEW



SIDE VIEW

Conduit - Light Duty


Pipemakers heavy duty (HD) conduit orange solid wall is manufactured in accordance with AS/NZS 2053.2 :2001.

Conduit Light Duty


Product Code	Nominal Size (mm)	Mean L1 O.D. (mm)	Mean L2 I.D. (mm)	Mean L3 Wall (mm)	Socket L5 Length (mm)	Weight (kg)	Length L4 (m)	Pack Quantity
80LDELEC	80	88.9	83.7	2.6	73	8.4	4	104
100LDELEC	100	114.3	107.7	3.3	99	13.9	4	63
125LDELEC	125	140.2	132.2	4	115	20.8	4	38
150LDELEC	150	160.3	151.3	4.5	124	27.4	4	26
200LDELEC	200	225.3	206.7	9.3	150	36.8	4-6	12
225LDELEC	225	250.4	225.8	12.3	185	60	6	12

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List



SECTION VIEW



SIDE VIEW

Conduit - Heavy Duty Solid


Pipemakers heavy duty (HD) conduit orange solid wall is manufactured in accordance with AS/NZS 2053.2 :2001.

Conduit Heavy Duty Solid

Product Code	Nominal Size (mm)	Mean L1 O.D. (mm)	Mean L2 I.D. (mm)	Mean L3 Wall (mm)	Socket L5 Length (mm)	Weight (kg)	Length L4 (m)	Pack Quantity
20HDCON	20	19.9	15.0	2.5	16	0.9	4	1050
25HDCON	25	24.9	19.6	2.7	20	1.2	4	770
32HDCON	32	31.9	26.2	2.9	25	1.7	4	480
40HDCON	40	39.9	33.4	3.3	32	2.4	4	450
50HDCON	50	49.9	42.6	3.7	40	3.4	4	240
63HDCON	63	62.9	54.5	4.2	50	5.0	4	180
80HDCON	80	88.9	79.0	5.0	73	8.4	4	104
100HDCON	100	114.3	101.7	6.3	99	13.9	4	63
125HDCON	125	140.2	124.9	7.7	115	20.8	4	38
150HDCON	150	160.3	142.7	8.8	124	27.4	4	26
200HDCON	200	225.3	208.9	8.2	150	36.8	4/6	12
225HDCON	225	250.5	225.9	12.3	180	60	6	12

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List



Conduit - Heavy Duty Multilayer Foam


Pipemakers heavy duty (HD) conduit orange sandwich construction is manufactured in accordance with AS/NZS 2053.2 :2001.

Conduit Heavy Duty Multilayer Foam

Product Code	Nominal Size (mm)	Mean L1 O.D. (mm)	Mean L2 I.D. (mm)	Mean L3 Wall (mm)	Socket L5 Length (mm)	Weight (kg)	Length L4 (m)	Pack Quantity
50HDCONSC	50	49.9	42.6	3.7	40	2.3	4	240
63HDCONSC	63	62.9	54.5	4.2	50	2.8	4	180
80HDCONSC	80	88.9	79.0	4.95	73	5.8	4	104
100HDCONSC	100	114.3	101.7	6.3	99	7.7	4	63
125HDCONSC	125	140.2	124.9	7.65	115	13.3	4	38
150HDCONSC	150	160.3	142.7	8.8	124	17.0	4	26

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List



Conduit - Heavy Duty Multilayer Solid


Pipemakers heavy duty (HD) conduit orange multilayer construction solid core is manufactured in accordance with AS/NZS 2053.2 :2001.

Conduit Heavy Duty Multilayer Solid

Product Code	Nominal Size (mm)	Mean L1 O.D. (mm)	Mean L2 I.D. (mm)	Mean L3 Wall (mm)	Socket L5 Length (mm)	Weight (kg)	Length L4 (m)	Pack Quantity
80HDCONS	80	88.9	79.0	5.0	73	8.4	4	104
100HDCONS	100	114.3	101.7	6.3	99	12.9	4	63
125HDCONS	125	140.2	124.9	7.7	115	20.8	4	38
150HDCONS	150	160.3	142.7	8.8	124	25.3	4	26

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List



Conduit - Communication Solid


Pipemakers communication Solid conduit is manufactured in accordance with AS/NZS 2053.2 :2001.

Conduit Communication Solid

Product Code	Nominal Size (mm)	Mean L1 O.D. (mm)	Mean L2 I.D. (mm)	Mean L3 Wall (mm)	Socket L5 Length (mm)	Weight (kg)	Length L4 (m)	Pack Quantity
20AUSCOM	20	19.9	16.0	2.0	16	0.7	4	1050
25AUSCOM	25	24.9	21.0	2.0	20	0.9	4	770
32AUSCOM	32	31.9	27.4	2.3	25	1.3	4	480
50AUSCOM	50	49.9	44.0	3.0	40	2.8	4	240
63AUSCOMHD	63	62.9	58.9	4.0	50	4.58	4	238
80AUSCOM	80	88.9	81.3	3.8	73	6.6	4/6	104
100AUSCOM	100	114.3	104.6	4.9	99	16.2	6	63
100AUSCOMHD/40	100	114.3	101.7	6.3	99	13.9	4	63

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List



Conduit - Communication Multilayer Foam


Pipemakers communication Multilayer Foam conduit is manufactured in accordance with AS/NZS 2053.2 :2001.

Conduit Communication Multilayer Foam

Product Code	Nominal Size (mm)	Mean L1 O.D. (mm)	Mean L2 I.D. (mm)	Mean L3 Wall (mm)	Socket L5 Length (mm)	Weight (kg)	Length L4 (m)	Pack Quantity
50AUSCOMSC	50	49.9	44.0	3.0	40	2.8	4	240
63AUSCOMHDSC	63	62.9	54.5	4.2	50	2.8	4	180
80AUSCOMSC	80	88.9	81.3	3.8	73	6.6	4/6	104
100AUSCOMSC	100	114.3	104.6	4.9	99	16.2	6	63
100AUSCOMHDSC	100	114.3	101.7	6.3	99	13.9	4/6	63
150AUSCOMHDSC	150	160.3	142.7	8.8	124	17.0	4/6	26

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List



Conduit - Communications Multilayer Solid


Pipemakers communication Multilayer Solid conduit is manufactured in accordance with AS/NZS 2053.2 :2001.

Conduit Communications Multilayer Solid

Product Code	Nominal Size (mm)	Mean L1 O.D. (mm)	Mean L2 I.D. (mm)	Mean L3 Wall (mm)	Socket L5 Length (mm)	Weight (kg)	Length L4 (m)	Pack Quantity
100AUSCOMS/40	100	114.3	104.6	4.9	99	10.9	4	63
100AUSCOMHDS/40	100	114.3	101.7	6.3	99	13.9	4	63
150AUSCOMHDS/40	150	160.3	142.7	8.8	124	25.3	4	26

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List



Conduit - NBN

Pipemakers National Broadband Network conduits are manufactured in accordance with AS/NZS 2053.2 :2001.

Conduit NBN


Product Code	Nominal Size (mm)	Mean L1 O.D. (mm)	Mean L2 I.D. (mm)	Mean L3 Wall (mm)	Socket L5 Length (mm)	Weight (kg)	Length L4 (m)	Pack Quantity
20NBNCOM/45	20	26.8	23.7	1.6	40	0.9	4.5	770
50NBNCOM/45	50	60.4	54.6	2.9	65	3.8	4.5	198
100NBNCOM/45	100	114.3	104.6	4.9	99	12.15	4.5	63

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Electrical Sweep Bends



Product List



Electrical Sweep Bends - Medium Duty


Pipemakers PVC Medium Duty Conduit Bends are manufactured in accordance with AS/NZS 2053.2: 2001.

Electrical Sweep Bends - Medium Duty

Product Code	Nominal Size (mm)	Radius R (mm)	Degree 0°	D (mm)	C (mm)	Lb (mm)	Pallet Qty
40MDCON300R45B	40	300.0	45°	235	46	32	*
40MDCON300R90B	40	300.0	90°	471	40	32	*
50MDCON300R45B	50	300.0	45°	235	50	40	*
50MDCON300R90B	50	300.0	90°	471	50	40	*
50MDCON600R45B	50	600.0	45°	235	50	40	*
50MDCON600R90B	50	600.0	90°	471	50	40	*

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List



Electrical Sweep Bends - Heavy Duty


Pipemakers PVC Heavy Duty Conduit Bends are manufactured in accordance with AS/NZS 2053.2: 2001.

Electrical Sweep Bends - Heavy Duty

Product Code	Nominal Size (mm)	Radius R (mm)	Degree 0°	D (mm)	C (mm)	Lb (mm)	Pallet Qty
40HDCON300R45B	40	300	45°	235	46	32	*
40HDCON300R90B	40	300	90°	471	40	32	*
50HDCON300R45B	50	300	45°	235	50	40	*
50HDCON300R90B	50	300	90°	471	50	40	*
50HDCON600R45B	50	600	45°	235	50	40	*
50HDCON600R90B	50	600	90°	471	50	40	*
63HDCON300R225B	63	325	22.5°	127	80	50	*
63HDCON300R45B	63	325	45°	255	63	50	*
63HDCON300R90B	63	325	90°	510	63	50	*
63HDCON600R45B	63	600	45°	471	63	50	*
63HDCON600R90B	63	600	90°	942	63	50	*
80HDCON450R1125B	80	450	11.25°	88.3	89	73	*
80HDCON450R225B	80	450	22.5°	176	89	73	*
80HDCON450R45B	80	450	45°	353	89	73	*
80HDCON450R90B	80	450	90°	706	89	73	*
80HDCON600R225B	80	600	22.5°	235	89	73	*
80HDCON600R45B	80	600	45°	471	89	73	*
80HDCON600R90B	80	600	90°	942	89	73	*

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List



Electrical Sweep Bends - Heavy Duty


Pipemakers PVC Heavy Duty Conduit Bends are manufactured in accordance with AS/NZS 2053.2: 2001.

Electrical Sweep Bends - Heavy Duty

Product Code	Nominal Size (mm)	Radius R (mm)	Degree 0°	D (mm)	C (mm)	Lb (mm)	Pallet Qty
100HDCON450R45B	100	450	45°	353	106	99	*
100HDCON450R90B	100	450	90°	706	106	99	*
100HDCON600R1125	100	625	11.25°	122	106	99	*
100HDCON600R225B	100	625	22.5°	245	106	99	*
100HDCON600R45B	100	625	45°	490	106	99	*
100HDCON600R90B	100	625	90°	981	106	99	*
100HDCON2000R112	100	2000	11.25°	392	106	99	*
100HDCON2000R225	100	2000	22.5°	785	106	99	*
100HDCON2000R45B	100	2000	45°	1570	106	99	*
100HDCON2000R90B	100	2000	90°	3141	106	99	*
125HDCON600R225B	125	600	22.5°	235	130	115	*
125HDCON600R45B	125	600	45°	471	130	115	*
125HDCON600R90B	125	600	90°	942	130	115	*
125HDCON2200R112	125	2200	11.25°	435	130	115	*
125HDCON2200R225	125	2200	22.5°	870	130	115	*
125HDCON2200R45B	125	2200	45°	1740	130	115	*
125HDCON2200R90B	125	2200	90°	3480	130	115	*

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List



Electrical Sweep Bends - Heavy Duty

Pipemakers PVC Heavy Duty Conduit Bends are manufactured in accordance with AS/NZS 2053.2: 2001.

Electrical Sweep Bends - Heavy Duty

Product Code	Nominal Size (mm)	Radius R (mm)	Degree 0°	D (mm)	C (mm)	Lb (mm)	Pallet Qty
150HDCON600R1125	150	600	11.25°	117	128	124	*
150HDCON600R225B	150	600	22.5°	235	128	124	*
150HDCON600R45B	150	600	45°	471	128	124	*
150HDCON600R90B	150	600	90°	942	128	124	*
150HDCON2500R112	150	2500	11.25°	490	128	124	*
150HDCON2500R225	150	2500	22.5°	981	128	124	*
150HDCON2500R45B	150	2500	45°	1963	128	124	*
150HDCON2500R90B	150	2500	90°	3962	128	124	*
200HDCON1200R115	200	1200	11.25°	730	156	147	*
200HDCON1200R225	200	1200	22.5°	940	156	147	*
200HDCON1200R45B	200	1200	45°	1370	156	147	*
200HDCON1200R90B	200	1200	90°	2231	156	147	*
200HDCON1500R115	200	1500	11.25°	790	156	147	*
200HDCON1500R22B	200	1500	22.5°	1058	156	147	*
200HDCON1500R45B	200	1500	45°	1606	156	147	*
200HDCON1500R90B	200	1500	90°	3212	156	147	*
200HDCON6000R11B	200	6000	11.25°	1667	156	147	*
200HDCON3654R11B	200	3654	11.25°	1178	156	147	*

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Electrical Fittings



Product List



Electrical Fittings

Pipemakers PVC fitting Conduit are manufactured in accordance with AS/NZS 2053.2: 2001.

Electrical Fittings				
Product Code	Description	Group	Size	Pack Quantity
32AUSCOMBELLM	32MM AUSTEL COMMUNICATION.	Bellmouth	32	-
32HDCONBELLM	32MM HD CONDUIT BELLMOUTH ORANGE	Bellmouth	32	-
40HDCONBELLM	40MM HD CONDUIT BELLMOUTHS ORANGE	Bellmouth	40	-
50AUSCOMBELLM	50MM AUSTEL COMMUNICATION BELLMOUTH WHITE	Bellmouth	50	-
50HDCONBELLM	50MM HD CONDUIT BELLMOUTH ORANGE	Bellmouth	50	-
63HDCONBELLM	63MM HD CONDUIT BELLMOUTH ORANGE	Bellmouth	63	-
80AUSCOMBELLM	80MM AUSTEL COMMUNICATION BELLMOUTH WHITE	Bellmouth	80	-
80HDCONBELLM	80MM HD CONDUIT BELLMOUTH ORANGE	Bellmouth	80	-
100AUSCOMBELLM	100MM AUSTEL COMMUNICATION BELLMOUTH WHITE	Bellmouth	100	-
100HDCONBELLM	100MM HD CONDUIT BELLMOUTH ORANGE	Bellmouth	100	-
125HDCONBELLM	125MM HD CONDUIT BELLMOUTH ORANGE	Bellmouth	125	-
150HDCONBELLM	150MM HD CONDUIT BELLMOUTH ORANGE	Bellmouth	150	-
200HDCONBELLM	200MM HD CONDUIT BELLMOUTH ORANGE	Bellmouth	200	-
40CONCAP	40MM HD CONDUIT END CAP ORANGE	Cap	40	-
50COMSCAP	50MM COMMUNICATION END CAP WHITE	Cap	50	-
50CONCAP	50MM HD CONDUIT END CAP ORANGE	Cap	50	-
63CONCAP	63MM HD CONDUIT END CAP ORANGE	Cap	63	-
80CONCAP	80MM HD CONDUIT END CAP ORANGE	Cap	80	-

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List



Electrical Fittings

Pipemakers PVC fitting Conduit are manufactured in accordance with AS/NZS 2053.2: 2001.

Electrical Fittings				
Product Code	Description	Group	Size	Pack Quantity
100COMSCAP	100MM COMMUNICATION END CAP WHITE	Cap	100	-
100CONCAP	100MM HD CONDUIT END CAP ORANGE	Cap	100	-
125CONCAP	125MM HD CONDUIT END CAPS ORANGE	Cap	125	-
150COMSCAP	150MM COMMUNICATION END CAP WHITE	Cap	150	-
150CONCAP	150MM HD CONDUIT END CAP ORANGE	Cap	150	-
200CONCAP	200MM HD CONDUIT END CAP ORANGE	Cap	200	-
20AUSCOMCUP	20MM COMMUNICATION COUPLING	Coupling	20	-
20NBNCOMCUP	20MM NBN COM COUPLING WHITE	Coupling	20	-
20HDCONCUP	20MM HD CONDUIT COUPLING ORANGE	Coupling	20	-
25AUSCOMCUP	25MM AUSTEL COMMUNICATION COUPLING WHITE	Coupling	25	-
25HDCONCUP	25MM HD CONDUIT COUPLING ORANGE	Coupling	25	-
32AUSCOMCUP	32MM AUSTEL COMMUNICATION COUPLING WHITE	Coupling	32	-
32HDCONCUP	32MM HD CONDUIT COUPLING ORANGE	Coupling	32	-
40HDCONCUP	40MM HD CONDUIT COUPLING ORANGE	Coupling	40	-
50AUSCOMCUP	50MM AUSTEL COMMUNICATION COUPLING WHITE	Coupling	50	-
50NBNCOMCUP	50MM NBN COM COUPLING WHITE	Coupling	50	-
50HDCONCUP	50MM HD CONDUIT COUPLING ORANGE	Coupling	50	-
63HDCONCUP	63MM HD CONDUIT COUPLING ORANGE	Coupling	63	-

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List



Electrical Fittings

Pipemakers PVC fitting Conduit are manufactured in accordance with AS/NZS 2053.2: 2001.

Electrical Fittings

Product Code	Description	Group	Size	Pack Quantity
80AUSCOMCUP	80MM AUSTEL COMMUNICATION COUPLING WHITE	Coupling	80	-
80HDCONCUP	80MM HD CONDUIT COUPLING ORANGE	Coupling	80	-
80LDELECUP	80MM LD ELECTRICAL COUPLING ORANGE	Coupling	80	-
80AUSCOMCUP	80MM AUSTEL COMMUNICATION COUPLING WHITE	Coupling	80	-
80HDCONCUP	80MM HD CONDUIT COUPLING ORANGE	Coupling	80	-
80LDELECUP	80MM LD ELECTRICAL COUPLING ORANGE	Coupling	80	-
100AUSCOMCUP	100MM AUSTEL COMMUNICATION COUPLING WHITE	Coupling	100	-
100HDCONCUP	100MM HD CONDUIT COUPLER/JOINER ORANGE	Coupling	100	-
100LDELECCUP	100MM LD ELECTRICAL COUPLING ORANGE	Coupling	100	-
100AUSCOMCUP	100MM AUSTEL COMMUNICATION COUPLING WHITE	Coupling	100	-
100HDCONCUP	100MM HD CONDUIT COUPLER/JOINER ORANGE	Coupling	100	-
100LDELECCUP	100MM LD ELECTRICAL COUPLING ORANGE	Coupling	100	-
125HDCONCUP	125MM HD CONDUIT COUPLING ORANGE	Coupling	125	-
125LDELECCUP	125MM LD ELECTRICAL COUPLING ORANGE	Coupling	125	-
125HDCONCUP	125MM HD CONDUIT COUPLING ORANGE	Coupling	125	-
125LDELECCUP	125MM LD ELECTRICAL COUPLING ORANGE	Coupling	125	-
150HDCONCUP	150MM HD CONDUIT COUPLING ORANGE	Coupling	150	-
150LDELECCUP	150MM LD ELECTRICAL COUPLING ORANGE	Coupling	150	-

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List



Electrical Fittings

Pipemakers PVC fitting Conduit are manufactured in accordance with AS/NZS 2053.2: 2001.

Electrical Fittings				
Product Code	Description	Group	Size	Pack Quantity
150HDCONCUP	150MM HD CONDUIT COUPLING ORANGE	Coupling	150	-
150LDELECCUP	150MM LD ELECTRICAL COUPLING ORANGE	Coupling	150	-
40HDCONRED32	40MM X 32MM HD CONDUIT REDUCER ORANGE	Coupling Reducing	40	-
40HDCONRED32	40MM X 32MM HD CONDUIT REDUCER ORANGE	Coupling Reducing	40	-
50HDCONRED40	50MM X 40MM HD CONDUIT REDUCER ORANGE	Coupling Reducing	50	-
50HDCONRED40	50MM X 40MM HD CONDUIT REDUCER ORANGE	Coupling Reducing	50	-
63HDCONRED50	63MM X 50MM HD CONDUIT REDUCERAS/NZ2053.2	Coupling Reducing	63	-
63HDCONRED50	63MM X 50MM HD CONDUIT REDUCERAS/NZ2053.2	Coupling Reducing	63	-
80HDCONRED63	80MM X 63MM HD CONDUIT REDUCER ORANGE	Coupling Reducing	80	-
80HDCONRED63	80MM X 63MM HD CONDUIT REDUCER ORANGE	Coupling Reducing	80	-
100HDCONRED80	100MM X 80MM HD CONDUIT REDUCER ORANGE	Coupling Reducing	100	-
100HDCONRED80	100MM X 80MM HD CONDUIT REDUCER ORANGE	Coupling Reducing	100	-
125HDCONRED100	125MM X 100MM HD CONDUIT REDUCER ORANGE	Coupling Reducing	125	-
125LDELEC100RED	125MM LD ELECTRICAL CONDUIT TO 100MM REDUCING	Coupling Reducing	125	-
125HDCONRED100	125MM X 100MM HD CONDUIT REDUCER ORANGE	Coupling Reducing	125	-
125LDELEC100RED	125MM LD ELECTRICAL CONDUIT TO 100MM REDUCING	Coupling Reducing	125	-
150HDCONRED125	150MM X 125MM HD CONDUIT REDUCER ORANGE	Coupling Reducing	150	-
150HDCONRED125	150MM X 125MM HD CONDUIT REDUCER ORANGE	Coupling Reducing	150	-

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List





Electrical Fittings

Pipemakers PVC fitting Conduit are manufactured in accordance with AS/NZS 2053.2: 2001.

Electrical Fittings				
Product Code	Description	Group	Size	Pack Quantity
80LDELESCUP	80MM LD ELECTRICAL SLIP COUPLING ORANGE	Coupling Slip	80	-
100AUSCOMSCUP	100MM AUSTEL COMMUNICATIONSLIP COUPLING WHITE	Coupling Slip	100	-
100AUSCHDSCUP	100MM HD COMMUNICATION SLIP COUPLING	Coupling Slip	100	-
100HDCONSCUP	100MM HD CONDUIT SLIP COUPLING ORANGE	Coupling Slip	100	-
125HDCONSCUP	125MM HD CONDUITS LIP COUPLING ORANGE	Coupling Slip	125	-
125LDELECSCUP	125MM LD ELECTRICALS LIP COUPLING ORANGE	Coupling Slip	125	-
150HDCONSCUP	150MM HD CONDUIT SLIP COUPLING ORANGE	Coupling Slip	150	-
150LDELECSCUP	150MM LD ELECTRICAL SLIP COUPLING ORANGE	Coupling Slip	150	-
20NBNPITB	20MM PIT BUSH - NBN	Pit Bush - Comm	20	-
50NBNPITB	50MM PIT BUSH - NBN	Pit Bush - Comm	50	-
100NBNPITB	100MM PIT BUSH - NBN	Pit Bush - Comm	100	-
32HDPITB	32MM PIT BUSH - HD ORANGE	Pit Bush - HD	32	-
40HDPITB	40MM PIT BUSH - HD ORANGE	Pit Bush - HD	40	-
50HDPITB	50MM PIT BUSH - HD ORANGE	Pit Bush - HD	50	-
63HDPITB	63MM PIT BUSH - HD ORANGE	Pit Bush - HD	63	-
80HDPITB	80MM PIT BUSH - HD ORANGE	Pit Bush - HD	80	-
100HDPITB	100MM PIT BUSH - HD ORANGE	Pit Bush - HD	100	-
150HDPITB	150MM PIT BUSH- HD ORANGE	Pit Bush - HD	150	-

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

PVC Pipe Primer & Solvent Cement



Product List





Solvent Cements- Non Pressure

A fast setting, high bond strength PVC pipe cement designed for adhering rigid PVC to itself.

Solvent Cement – Non Pressure					
Product Code	Description	Colour	Application	Bottle Size	Box Qty
SOLV250BLU	Solvent Cement	Blue	Non Pressure	250ml	36
SOLV500BLU	Solvent Cement	Blue	Non Pressure	500ml	24
SOLV1LTBLU	Solvent Cement	Blue	Non Pressure	1 Ltr	12
SOLV4LTBLU	Solvent Cement	Blue	Non Pressure	4 Ltr	4
SOLV250CLR	Solvent Cement	Clear	Non Pressure	250ml	36
SOLV500CLR	Solvent Cement	Clear	Non Pressure	500ml	24
SOLV1LTCLR	Solvent Cement	Clear	Non Pressure	1 Ltr	12
SOLV4LTCLR	Solvent Cement	Clear	Non Pressure	4 Ltr	4

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List





Solvent Cements- Pressure

A fast setting, high bond strength PVC pipe cement designed for adhering rigid PVC to itself.

Solvent Cement – Pressure					
Product Code	Description	Colour	Application	Bottle Size	Box Qty
SOLV250GRN	Solvent Cement	Green	Pressure	250ml	36
SOLV500GRN	Solvent Cement	Green	Pressure	500ml	24
SOLV1LTGRN	Solvent Cement	Green	Pressure	1 Ltr	12
SOLV4LTGRN	Solvent Cement	Green	Pressure	4 Ltr	4

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Product List





Priming Fluid
Pipemakers Priming Fluid cleans and primes PVC pipes and fittings before the application of PVC pipe cement.

Solvent Cement – Pressure				
Product Code	Description	Colour	Bottle Size	Box Qty
PRIMER500CLR	Priming Fluid	Clear	500ml	24
PRIMER1LTCLR	Priming Fluid	Clear	1 Ltr	12
PRIMER500RED	Priming Fluid	RED	500ml	24
PRIMER1LTRED	Priming Fluid	RED	1 Ltr	12

Disclaimer: Products may be sold in smaller bundles than crate sizes listed. Availability and crate sizes vary by region; please contact our sales team for details.

Pipemakers
Australia

Northern Region (07) 3344 3377

Southern Region (03) 6250 3100

Western Region (08) 8361 7115

186 Ingram Rd, Acacia Ridge, QLD 4115

190 Dunmore St, Pendle Hill, NSW 4115

17 Gauge Circuit, Canningvale, WA 6155

501 Foley Rd, Deer Park, VIC 3023

50 Dozer Drive, Paget Mackay, QLD 4740

Loinsgate Business Park 185 Philip Hwy, Elizabeth SA 2025.

pipemakers.com.au

The information contained in this product catalogue is provided by way of general information only and has not been prepared with your specific needs in mind. Before application in a particular situation, Pipemakers recommends that you obtain appropriate independent, expert advice confirming the suitability of the product(s) and information in question for the application proposed. It is your responsibility to ensure the product chosen is fit for its intended purpose and that the conditions of use are suitable. To the extent permitted by law, Pipemakers disclaims all liability (including liability for negligence) for any loss and damage resulting from the direct or indirect use of, or reliance on, the information provided in this product catalogue or on Pipemakers' website. All supplies made by Pipemakers are made subject to its standard terms and conditions of sale, unless agreed otherwise in writing.
This catalogue reflects Pipemakers' products as at 07/03/2025 and availability or continuation of products may be varied at any time by Pipemakers. Please contact our sales team for latest products and availability.